





# TWC01

# **ESSENTIAL HIVIS WAISTCOAT**

### TWO BAND AND BRACE WITH VELCRO® FASTENING

Yellow 100% polyester fabric hi visibility safety vest, conforming to EN20471:2013 class 2. Two hi vis bands around the waist with two braces over the shoulders. Velcro® fastening allows for a secure fit. Individually packed with multi-lingual user information sheet in every pack as standard.





#### **TECHNICAL INFORMATION**

ORDER REF. #	TWC01			
ORDER RELL.	1 *** CO1			
COLOURS AVAILABLE:	YELLOW, ORANGE (GO/RT)			
SIZES AVAILABLE:	S, M, L, XL, 2XL, 3XL, 4XL			
TYPICAL APPLICATIONS:	Tasks with a hi-vis requirement - traffic, security, event management, construction, road works, driving etc.			
MATERIAL:	100% POLYESTER			
PER CASE:	100 PIECES (INDIVIDUAL POLYBAG)			
PER PACK: M	10 PIECES PER POLYBAG			

# **TECHNICAL INFORMATION:**

EN ISO 20471:2013









#### **CERTIFICATION:**

This product has been certified by: SATRA, SATRA Technology Centre, Wyndham Way, Telford Way, Kettering, Northamptonshire, NN16 8SD. UK **Notified body: 0321** in accordance with Article 10 of PPE Directive 89/686/EEC and has been shown to comply with the standards: EN ISO 20471:2013 - Class 2













TD-TWC01.04/20 REV4

>>> enhanced performance



Phone: +44 (0)1902 451 451

Email: sales@ultimateindustrial.co.uk

Web: traega.co.uk | ultimateindustrial.co.uk









# TWC01G

# **ESSENTIAL HIVIS WAISTCOAT**

### TWO BAND AND BRACE WITH VELCRO® FASTENING

Orange 100% polyester fabric hi visibility safety vest, conforming to EN20471:2013 class 2 and GO/RT 3279. Two hi vis bands around the waist with two braces over the shoulders. Velcro® fastening allows for a

Individually packed with multi-lingual user information sheet in every pack as standard.





#### **TECHNICAL INFORMATION**

ORDER REF. #	TWC01G		
COLOURS AVAILABLE:	ORANGE (GO/RT), YELLOW		
SIZES AVAILABLE:	S, M, L, XL, 2XL, 3XL, 4XL		
TYPICAL APPLICATIONS:	Tasks with a hi-vis requirement - traffic, security, event management, construction, road works, railways etc		
MATERIAL:	100% POLYESTER		
PER CASE:	100 PIECES (INDIVIDUAL POLYBAG)		
PER PACK: M	10 PIECES PER POLYBAG		

#### **TECHNICAL INFORMATION:**

EN ISO 20471:2013 GO/RT 3279 Issue 8













# **CERTIFICATION:**

This product has been certified by: SATRA SATRA Technology Centre Wyndham Way Telford Way, Kettering, Northamptonshire, NN16 8SD. UK **Notified body: 0321** in accordance with Article 10 of PPE Directive 89/686/EEC and has been shown to comply with the standards: EN ISO 20471:2013 - Class II. GO/RT 3279 Issue 8















TD-TWC01G.04/20 REV4

>>> enhanced performance



Phone: +44 (0)1902 451 451

Email: sales@ultimateindustrial.co.uk

Web: traega.co.uk | ultimateindustrial.co.uk








TECHNICAL DATASHEET

#### FITTING INSTRUCTIONS:

For a correct fit, please use the träega size guide for measurements and fitting tips. All conversions are approximate and fits may vary by style or personal preference.



	CM		
20 22	76 90	CM	СМ
33 - 34	84 - 88	REG 164-176	79
40 - 41	100 - 104	TALL 176-188	84
46 - 47	116 - 120	XTALL	92
	36 - 38 40 - 41 42 - 44	33 - 34	30 - 32 76 - 80   33 - 34 84 - 88   36 - 38 92 - 96   40 - 41 100 - 104   42 - 44 108 - 112   46 - 47 116 - 120   XTALL

#### STORAGE:

Do not store in places subject to direct or strong sunlight. Store in clean, dry conditions and preferably in original packaging.

#### **WASH CARE:**



## **CERTIFICATION LEGENDS:**





Meets: GO/RT 32/9 Issue 8

Railway Group Standard GO/RT 3279:2012 defines the minimum requirements for high-visibility clothing for being conspicuous on the line-side or

#### MAINTENANCE:

The garment should be worn fastened at all times to provide the correct level of protection stated. Keep clean: should the high visibility properties of this garment become irrecoverably soiled or contaminated, replace immediately. The garment is suitable for wear during an entire working day and contains no toxic substances that are known to adversely affect user health. Do not attempt to repair damaged garments. Regular comparison against a new garment is recommended. Retro-reflective tape should not be ironed. Garment lifetime depends on: usage, care storage, number of washes etc. Garments should be discarded when the protective qualities no longer apply. See enclosed user instruction sheet for more information.

If appropriate to the product, EC Declaration of Conformities, relevant certification and supporting documentation are available to access through your distributor, at the below web address(s) or by contacting Traega / UCi customer services.

This document and any other statement provided herein by or on behalf of Traega / UCi are given for informational purposes and do not constitute a contractual agreement nor warranty of merchantability. Traega / UCi assumes no responsibility for the suitability or adequacy of an end user's selection of product for a specific purpose.

TD-TWC01G.04/20 REV4

## >>> enhanced performance



Phone: +44 (0)1902 451 451

Email: sales@ultimateindustrial.co.uk

Web: traega.co.uk | ultimateindustrial.co.uk

